

Firewise Landscaping in North Carolina

Do you live in a home or community that is tucked into the woods or surrounded by marsh or shrubs? Then your home may be at risk of exposure to wildfire. You can use firewise landscaping practices to create a survivable space around your home and reduce your risk of damage from a wildfire.

What Is Firewise Landscaping?

Firewise landscaping involves creating survivable space by selecting, placing, and maintaining plants around your home that will make it less vulnerable to wildfire. Survivable space is the area extending outward from your home 30 feet or more that is designed to serve as a buffer to slow or stop a wildfire. Survivable space doesn't mean you cannot have trees in your yard. Nor does survivable space mean that your landscape will be bare or that it won't attract wildlife. Instead, firewise concepts allow you to make decisions about what you value while taking steps to reduce your risk. By using firewise landscaping, you can decrease the risk of damage to your property from a wildfire.

This publication summarizes some basic firewise concepts to use when creating a landscape around your home. It also provides lists of native plants by their flammability ratings so homeowners can make informed decisions when selecting and maintaining plants. Many of North Carolina's native plants are well-suited to firewise landscaping—they have evolved

to thrive in the state's soils and climate, are non-invasive, and are best suited to provide food, shelter, and nesting sites for North Carolina's wildlife.

Basic Concepts

All vegetation is potential fuel for a fire. There are no "fireproof" plants. But the type, amount, and placement of vegetation can have a dramatic effect on fire behavior. In fact, plant choice, spacing, and maintenance are critical to firewise landscaping.

Survivable space is the area extending outward from the boundaries of your home or structure (Figure 1). The recommended distance for survivable space varies based on the kinds of vegetation around your home and the steepness of the terrain. For homes and other structures on terrain that slopes less than 20 percent, a minimum of 30 feet is recommended for survivable space. For steeper terrain, survivable space may need to extend from the structure as much as 200 feet. To determine how much survivable space is needed for your home, contact your local fire officials, the N.C. Division of Forest Resources, or your local Cooperative Extension center.

Plant Choice

Select plants with a low flammability rating for the areas nearest your house. By selecting plants with certain characteristics, you can reduce the flammability potential of your landscape and provide habitat for wildlife. Plants that are resistant to wildfire have one or more of the following characteristics:

- They grow without accumulating large amounts of combustible dead branches, needles, or leaves (example: Cornus florida, flowering dogwood).
- They have open, loose branches with a low volume of total vegetation (example: Euonymus americana, strawberry bush).
- They have low sap or resin content (example: many deciduous species).
- They have high moisture content (example: Impatiens capensis, jewelweed).
- They grow slowly and need little maintenance, such as pruning (example: *Carpinus caroliniana*, ironwood).
- They are short and grow close to the ground (example: Viola pedata, bird-foot violet).
- They can resprout following fire and thereby reduce the costs of replanting a landscape after a fire (example: Rhus glabra, smooth sumac).

Plant a variety of types and species. Besides being aesthetically pleasing and more attractive to a wide range of wildlife, a variety of plants will help to ensure a healthier landscape by reducing insect and disease problems. Insects and diseases tend to increase in areas where a host plant dominates the landscape. Plants that are stressed from insects and diseases are more flammable because of the loss of vigor and increased amount of dead, dry plant material.

Plant Placement

Keep plants widely spaced. Fire can race rapidly from one plant to another when there is no space between plants. Maintain ample space between plants by placing them in small irregular clusters and islands. This will reduce the threat from wildfire by decreasing the volume of fuel available to a wildfire in your landscape.

Do not plant vines or ornamental grasses within the zone of survivable space. Vines and ornamental grasses, such as switchgrass (*Panicum virgatum*), are extremely flammable plants that can cause a wildfire to spread rapidly. This is especially so if dead growth has not been removed.

Plant Maintenance

Do not forget maintenance. A landscape is a dynamic system that is constantly changing. Trees, shrubs, and herbaceous plants that have a low flammability rating and low fuel volumes can lose these characteristics over time if they are not maintained properly. Conducting seasonal maintenance activities, such as pruning, will help you to maintain the plants' firewise properties by keeping them green and healthy. When conducting maintenance, keep the following tips in mind:

- Cut and remove the dried foliage of annual and perennial herbaceous plants.
- Rake up and dispose of plant litter as it builds up over the season.
- Mow or trim turfgrass to a low height within the survivable space.
- Remove all dead branches, twigs, and leaves attached to living trees to a height of 10 feet above the ground.
- Remove all dead shrubs from within the survivable space.
- · Remove vegetation encroaching on power lines.
- Remove branches within 15 feet of the chimney and roof.
- Remove vegetation touching the house or structure.
- Conduct pruning before the nesting season (April 15 through September 15) to encourage wildlife.
- Schedule and conduct maintenance with the North Carolina fire seasons (spring and fall) in mind.

Summary

Wildfire can significantly reduce the resources and services produced by North Carolina's wildlands, including wildlife habitat, recreation, clean water, timber, and scenic beauty. More than 41 percent of North Carolina's homes are located within the wildland-urban interface, the zone where human development meets or intermixes with wildland vegetation. As the state's population grows and residential development increases, the risk increases that a wildfire will encroach upon someone's home and have a significant impact on their lives. Some homeowners may have to deal only with smoke and evacuation. For others, fire often results in destruction of their homes and property. By using firewise landscaping strategies, homeowners can create landscapes with less potential fuel for a fire and minimize the risk of a wildfire spreading to their home.




Figure 1.

An example of survivable space around a home. A firewise home has at least 30 feet of space around it that is clear of dead vegetation and flammable debris. Trees and shrubs are pruned, and the landscape consists of healthy, irrigated, fire-resistant vegetation.

Table 1. Plant Species Native to North Carolina with a Low Flammability Rating

		М	Soil oistu	re		Light Need:		I	Nativ Regio		Wildlife Value							
Latin Name	Common Name	Wet	Moist	Dry	Full sun	Partial shade	Shade	Mountains	Piedmont	Coastal plain	Winter cover	Fleshy fruit	Seed, mast, or catkin	Hummingbird nectar	Butterfly/insect nectar	Butterfly larvae host		
Tall Trees (taller than 30 fee	et)																	
Acer barbatum	Southern sugar maple		•		•	•	•		•	•			•					
Acer rubrum	Red maple	•	•	•	•	•	•	•	•	•			•					
Acer saccharum	Sugar maple		•		•	•	•	•					•					
Aesculus flava	Yellow buckeye		•			•	•	•						•				
Betula lenta	Sweet birch		•	•	•	•	•	•					•			•		
Betula nigra	River birch		•		•				•	•			•			•		
Carya glabra	Pignut hickory		•	•	•	•		•	•	•			•			•		
Carya ovata	Shagbark hickory		•	•	•	•	•	•	•	•			•			•		
Carya tomentosa	Mockernut hickory		•	•	•	•		•	•	•			•			•		
Celtis laevigata	Sugarberry		•		•	•	•		•	•		•				•		
Diospyros virginiana	Persimmon		•	•	•	•		•	•	•		•						
Fraxinus americana	White ash		•		•	•	•	•	•				•			•		
Fraxinus pennsylvanica	Green ash	•	•	•	•	•		•	•	•			•			•		
Liquidambar styraciflua	Sweetgum		•		•	•		•	•	•			•					
Liriodendron tulipifera	Yellow poplar		•		•	•		•	•	•			•	•	•	•		
Magnolia acuminata	Cucumber tree		•		•	•		•	•				•					
Magnolia virginiana	Sweetbay	•	•		•	•			•	•			•			•		
Nyssa sylvatica	Blackgum		•	•	•	•		•	•	•		•						
Oxydendrum arboreum	Sourwood		•	•	•	•	•	•	•	•					•			
Prunus serotina	Black cherry		•	•	•			•	•	•		•			•	•		
Quercus alba	White oak		•	•	•	•		•	•	•			•			•		
Quercus coccinea	Scarlet oak			•	•	•		•	•				•			•		
Quercus falcata	Southern red oak		•	•	•	•		•	•	•			•			•		
Quercus michauxii	Swamp chestnut oak		•		•	•			•	•			•			•		
Quercus nigra	Water oak		•		•	•			•	•			•			•		
Quercus pagoda	Cherrybark oak		•		•	•			•	•			•			•		
Quercus phellos	Willow oak		•		•	•			•	•			•			•		
Quercus rubra	Northern red oak		•		•	•		•	•				•			•		
Quercus shumardii	Shumard oak		•		•	•			•	•			•			•		
Quercus stellata	Post oak		•	•	•			•	•	•			•			•		
Quercus velutina	Black oak		•	•	•	•		•	•	•			•			•		
Robinia pseudoacacia	Black locust		•	•	•	•		•	•				•			•		
Salix nigra	Black willow	•	•		•	•	•	•	•	•						•		
Sassafras albidum	Sassafras		•	•	•	•		•	•	•		•				•		
Taxodium distichum	Baldcypress	•	•		•	•				•			•					
Tilia americana	Basswood		•		•	•		•	•	•			•		•	•		
Ulmus alata	Winged elm		•	•	•	•		•	•	•			•			•		
Ulmus americana	American elm		•		•	•		•	•	•			•			•		

Table 1. Plant Species Native to North Carolina with a Low Flammability Rating (continued)

		М	Soil oistu			Light Need:			Nativ Regio		Wildlife Value						
Latin Name	Common Name	Wet	Moist	Dry	Full sun	Partial shade	Shade	Mountains	Piedmont	Coastal plain	Winter cover	Fleshy fruit	Seed, mast, or catkin	Hummingbird nectar	Butterfly/insect nectar	Butterfly larvae host	
Small Trees and Shrubs (10	to 30 feet tall)																
Aesculus pavia	Red buckeye		•			•				•				•	•		
Aesculus sylvatica	Painted buckeye		•			•			•					•			
Alnus serrulata	Alder	•	•		•	•		•	•	•			•			•	
Amelanchier arborea	Serviceberry		•		•	•	•	•	•			•			•	•	
Amelanchier canadensis	Juneberry		•		•	•			•	•		•			•	•	
Amelanchier laevis	Allegheny serviceberry		•	•	•	•	•	•				•			•	•	
Aralia spinosa	Devil's walking stick		•		•	•		•	•	•		•			•		
Asimina triloba	Pawpaw		•		•	•	•	•	•	•		•				•	
Carpinus caroliniana	Ironwood		•			•	•	•	•	•			•			•	
Celtis tenuifolia	Dwarf hackberry			•	•	•			•			•				•	
Cercis canadensis	Eastern redbud		•	•	•	•		•	•				•		•	•	
Chionanthus virginicus	Fringetree		•	•	•	•		•	•	•		•					
Cornus florida	Flowering dogwood		•	•	•	•		•	•	•		•			•	•	
Crataegus spp.	Hawthorn		•		•	•	•	•	•	•		•		•	•	•	
Halesia carolina	Carolina silverbell		•			•	•	•	•						•		
Hamamelis virginiana	Witch hazel		•		•	•	•	•	•	•			•				
Ilex decidua	Possumhaw	•	•	•	•	•	•		•	•		•			•	•	
Ilex verticillata	Winterberry	•	•		•	•	•	•	•	•		•			•	•	
Morus rubra	Red mulberry		•	•	•	•	•	•	•	•		•				•	
Ostrya virginiana	Hophornbeam		•	•	•	•	•	•	•			•				•	
Prunus americana	Wild plum		•	•	•			•	•			•			•	•	
Prunus angustifolia	Chickasaw plum		•	•	•				•	•		•			•	•	
Prunus pensylvanica	Fire cherry		•	•	•			•				•			•	•	
Rhus copallinum	Winged sumac		•	•	•	•		•	•	•		•			•	•	
Rhus glabra	Smooth sumac		•	•	•	•		•	•	•		•			•	•	
Salix caroliniana	Carolina willow	•	•		•	•			•	•						•	
Sambucus canadensis	Elderberry	•	•		•	•		•	•	•		•					
Sorbus americana	Mountain ash		•		•	•		•				•					
Viburnum prunifolium	Blackhaw		•		•	•	•	•	•	•		•				•	
Viburnum rufidulum	Rusty blackhaw		•	•	•	•	•		•	•		•				•	
Small Shrubs (less than 10	feet tall)																
Callicarpa americana	American beautyberry		•	•	•	•	•		•	•		•					
Calycanthus floridus	Sweetshrub		•			•	•	•	•						•		
Ceanothus americanus	New Jersey tea		•	•		•	•	•	•	•			•		•	•	
Cephalanthus occidentalis	Buttonbush	•	•		•	•		•	•	•			•	•	•		
Clethra alnifolia	Sweet pepperbush	•	•		•	•			•	•		•		•	•		
Corylus americana	Hazelnut		•		•	•		•	•				•				
Euonymus americana	Strawberrybush		•			•	•	•	•	•			•				

Table 1. Plant Species Native to North Carolina with a Low Flammability Rating (continued)

		М	Soil oistu			Ligh Need		I	Nativ Regio		Wildlife Value							
Latin Name	Common Name	Wet	Moist	Dry	Full sun	Partial shade	Shade	Mountains	Piedmont	Coastal plain	Winter cover	Fleshy fruit	Seed, mast, or catkin	Hummingbird nectar	Butterfly/insect nectar	Butterfly larvae host		
Small Shrubs (less than 10	feet tall) (continued)																	
Gaylussacia frondosa	Blue huckleberry		•	•	•	•	•		•	•		•			•	•		
Hydrangea arborescens	Wild hydrangea		•			•	•	•	•				•		•			
Itea virginica	Virginia willow	•	•			•	•	•	•	•			•		•			
Lindera benzoin	Spicebush		•	•	•	•	•	•	•	•		•				•		
Photinia pyrifolia	Red chokeberry		•		•	•		•	•	•		•				•		
Vaccinium corymbosum	Highbush blueberry		•		•	•			•	•		•			•	•		
Vaccinium stamineum	Deerberry		•	•	•	•		•	•	•		•			•	•		
Vaccinium pallidum	Lowbush blueberry			•	•	•		•	•	•		•			•	•		
Viburnum acerifolium	Mapleleaf viburnum		•	•		•	•	•	•			•				•		
Viburnum dentatum	Arrowwood		•	•	•	•	•	•	•	•		•				•		
Viburnum nudum	Wild raisin	•	•		•	•	•	•	•	•		•				•		
Ferns																		
Polystichum acrostichoides	Christmas fern		•			•	•	•	•	•	•							
Herbs and Wildflowers																		
Apocynum cannabinum	Hemp dogbane		•	•	•	•		•	•	•					•			
Arisaema triphyllum	Jack-in-the-pulpit		•			•	•	•	•	•		•						
Aristolochia serpentaria	Virginia snakeroot		•	•		•	•	•	•	•						•		
Chrysogonum virginianum	Green-and-gold		•				•		•	•			•		•			
Desmodium spp.	Beggarlice		•	•	•	•		•	•	•			•			•		
Eupatorium coelestinum	Mistflower		•		•	•		•	•	•			•		•			
Eupatorium fistulosum	Joe-pye-weed		•		•			•	•	•			•	•		•		
Geranium maculatum	Wild geranium		•	•	•	•		•	•				•		•			
Houstonia caerulea	Bluets		•	•	•	•	•	•	•	•					•			
Impatiens capensis	Jewelweed		•			•	•	•	•	•				•	•			
Iris cristata	Crested iris		•			•	•	•	•					•				
Phlox carolina	Carolina phlox		•	•	•	•		•	•	•					•			
Phlox divaricata	Blue phlox		•			•	•	•	•	•					•			
Phlox paniculata	Summer phlox		•		•	•		•	•	•					•			
Phlox pilosa	Prairie phlox		•	•	•	•			•	•					•			
Phlox subulata	Moss pink		•	•	•			•	•						•			
Silene virginica	Fire pink		•	•		•	•	•	•	•			•	•	•			
Spigelia marilandica	Indian pink		•			•	•	•	•	•				•				
Viola pedata	Bird-foot violet		•	•	•	•		•	•	•						•		

Table 2. Plant Species Native to North Carolina with a Medium Flammability Rating

Latin Name			М	Soil oistu			Ligh Need			Nativ Regio	-	Wildlife Value							
Fagus grandifolia	Latin Name	Common Name	Wet	Moist	Dry	Full Sun	Partial Shade	Shade	Mountains	Piedmont	Coastal plain	Winter cover	Fleshy fruit	Seed, mast, or catkin	Hummingbird nectar	Butterfly/insect nectar	Butterfly larvae host		
Condinate Colon	Tall Trees (taller than 30 fee	et)																	
Magnolia grandiflora Southern magnolia S	Fagus grandifolia	American beech		•			•	•	•	•	•			•					
Persea borbonia	Gordonia lasianthus	Loblolly bay	•	•		•	•				•	•							
Platanus occidentalis Sycamore	Magnolia grandiflora	Southern magnolia		•			•	•		•	•	•		•					
Small Trees and Shrubs (10 to 30 feet tall) Castanea pumila Chinquapin • • • • • • • • • • • • • • • • • • •	Persea borbonia	Redbay	•	•		•	•	•			•	•	•				•		
Castanea pumilia	Platanus occidentalis	Sycamore		•		•	•		•	•	•			•					
Cornus amomum Silky dogwood	Small Trees and Shrubs (10	to 30 feet tall)																	
Cyrilla racemiflora	Castanea pumila	Chinquapin		•	•	•	•		•	•	•			•					
Osmanthus americanus Wild olive, devilwood • • • • • • • • • • • • • • • • • • •	Cornus amomum	Silky dogwood	•	•		•	•		•	•	•		•			•	•		
Prunus caroliniana Carolina laurel cherry Sweetleaf Sweetl	Cyrilla racemiflora	Titi	•	•		•	•	•		•	•	•				•			
Symplocos tinctoria Sweetleaf Sweetl	Osmanthus americanus	Wild olive, devilwood		•	•	•	•				•	•	•						
Small Shrubs (less than 10 feet tall) Gaylussacia dumosa Dwarf huckleberry • • • • • • • • • • • • • • • • • • •	Prunus caroliniana	Carolina laurel cherry		•	•	•	•				•	•	•			•	•		
Gaylussacia dumosa Dwarf huckleberry •	Symplocos tinctoria	Sweetleaf		•	•	•	•	•	•	•	•			•		•	•		
Lyonia lucida Fetterbush •	Small Shrubs (less than 10	feet tall)																	
Rhododendron atlanticum Dwarf azalea • • • • • • • • • • • • • • • • • • •	Gaylussacia dumosa	Dwarf huckleberry		•	•	•	•		•	•	•		•			•	•		
Flame azalea	Lyonia lucida	Fetterbush		•			•	•		•	•	•				•			
calendulaceum Flame azalea Rhododendron maximum Rosebay rhododendron Rhododendron periclymenoides Wild azalea Vaccinium arboreum Sparkleberry Sparkleberry • • • • • • • • • • • • • • • • • • •	Rhododendron atlanticum	Dwarf azalea		•	•	•	•	•		•	•				•	•			
Rhododendron periclymenoides Wild azalea • • • • • • • • • • • • • • • • • • •		Flame azalea		•	•		•	•	•						•	•			
Periclymenoides Wild azalea Image: Control of the properties of	Rhododendron maximum	Rosebay rhododendron		•			•	•	•	•		•			•	•			
Herbs and Wildflowers Aquilegia canadensis Columbine • • • • • • • • • • • • • • • • • • •		Wild azalea		•		•	•	•	•	•	•				•	•			
Aquilegia canadensis Columbine • • • • • • • • • • • • • • • • • • •	Vaccinium arboreum	Sparkleberry		•	•	•	•	•		•	•	•	•			•	•		
Aruncus dioicus Goat's beard Swamp milkweed Butterfly weed Asclepias variegata White milkweed Aster curtisii Aster Aster divaricatus Heart-leaved aster Aster novi-belgii New York aster Aster pilosus Butterfly weed Butterfly	Herbs and Wildflowers																		
Asclepias incarnata Swamp milkweed Asclepias tuberosa Butterfly weed Asclepias variegata White milkweed Aster curtisii Aster Aster divaricatus Heart-leaved aster Aster novae-angliae New England aster Aster novi-belgii New York aster Aster pilosus Bulue false indigo Baptisia tinctoria Yellow wild indigo Chamaecrista fasciculata Swamp milkweed	Aquilegia canadensis	Columbine		•	•		•	•	•	•	•			•	•	•			
Asclepias tuberosa Butterfly weed • • • • • • • • • • • • • • • • • • •	Aruncus dioicus	Goat's beard		•			•	•	•	•							•		
Asclepias variegata White milkweed • • • • • • • • • • • • • • • • • • •	Asclepias incarnata	Swamp milkweed	•	•		•	•		•	•	•					•	•		
Aster curtisii Aster • • • • • • • • • • • • • • • • • • •	Asclepias tuberosa	·			•	•	•		•	•	•					•	•		
Aster divaricatus Heart-leaved aster • • • • • • • • • • • • • • • • • • •				•	•	•	•		•	•	•					•	•		
Aster novae-angliae New England aster • • • • • • • • • • • • • • • • • • •				•	•	•	•		•					•		•	•		
Aster novi-belgii New York aster • • • • • • • • • • • • • • • • • • •				•			•	•	•	•				•		•	•		
Aster pilosus White heath aster Baptisia australis Blue false indigo Yellow wild indigo Bidens aristosa Sticktight Partridge pea Sticktight Partridge pea Sticktight Sticktight	_				•				•					•					
Baptisia australis Blue false indigo Baptisia tinctoria Yellow wild indigo Bidens aristosa Sticktight Chamaecrista fasciculata Partridge pea				•			•				-			•					
Baptisia tinctoria Yellow wild indigo • • • • • • • • • • • • • • • • • • •					•		_				•			•		-			
Bidens aristosa Sticktight • </td <td></td> <td>-</td> <td></td> <td>•</td> <td>_</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td>		-		•	_	-										_			
Chamaecrista fasciculata Partridge pea • • • • • • • •	•		_								-								
		-			-												_		
CIMICITUDA TACEMOSA BIACK CONOST	Cimicifuga racemosa	Black cohosh		•				•	•	•							•		

Table 2. Plant Species Native to North Carolina with a Medium Flammability Rating (continued)

		Soil Moisture			l	Ligh Need			Nativ Regio			W	ildlif	e Val	ue	
Latin Name	Common Name	Wet	Moist	Dry	Full Sun	Partial Shade	Shade	Mountains	Piedmont	Coastal plain	Winter cover	Fleshy fruit	Seed, mast, or catkin	Hummingbird nectar	Butterfly/insect nectar	Butterfly larvae host
Herbs and Wildflowers (cor	ntinued)															
Coreopsis angustifolia	Narrow-leaved coreopsis		•		•	•				•			•		•	
Coreopsis auriculata	Eared coreopsis		•		•	•		•	•	•			•		•	
Coreopsis falcata	Sickle tickseed	•	•		•	•			•	•			•		•	
Coreopsis lanceolata	Lance-leaved coreopsis		•	•	•			•	•	•			•		•	
Coreopsis major	Greater tickseed		•	•	•	•		•	•				•		•	
Coreopsis verticillata	Threadleaf coreopsis		•	•	•	•		•	•	•			•		•	
Echinacea purpurea	Purple coneflower		•	•	•			•	•				•		•	
Helianthus angustifolius	Swamp sunflower	•	•		•	•		•	•	•			•		•	
Helianthus atrorubens	Sunflower		•	•	•			•	•	•			•		•	•
Helianthus divaricatus	Woodland sunflower		•	•		•		•	•	•			•		•	
Heliopsis helianthoides	Ox-eye		•	•	•	•		•	•	•			•		•	
Hibiscus moscheutos	Rose mallow		•		•	•		•	•	•				•	•	
Liatris spicata	Blazing star		•		•	•		•	•						•	
Lobelia cardinalis	Cardinal flower	•	•		•	•	•	•	•	•				•	•	
Lobelia puberula	Downy lobelia	•	•	•	•	•		•	•	•				•	•	
Lobelia siphilitica	Great blue lobelia	•	•			•	•	•						•	•	
Mitchella repens	Partridgeberry		•		•	•	•	•	•	•		•				
Monarda didyma	Beebalm		•			•	•	•						•	•	
Monarda fistulosa	Wild bergamot		•	•	•	•		•	•					•	•	
Monarda punctata	Horsemint		•	•	•	•			•	•				•	•	
Oenothera fruticosa	Sundrops		•	•	•	•		•	•	•			•	•		
Penstemon canescens	Hairy beardtongue		•	•	•	•		•	•					•	•	•
Penstemon laevigatus	Smooth beardtongue		•		•	•	•	•	•	•				•	•	•
Phytolacca americana	Pokeweed		•	•	•			•	•	•		•	•			
Pycnanthemum incanum	Hoary mountainmint		•	•	•	•		•	•	•					•	
Rudbeckia fulgida	Orange coneflower		•		•			•	•	•			•		•	
Salvia lyrata	Lyreleaf sage		•	•	•	•	•	•	•	•				•	•	
Solidago spp.	Goldenrod		•	•	•	•		•	•	•			•		•	
Vernonia noveboracensis	Ironweed		•		•	•		•	•	•					•	

Table 3. Plant Species Native to North Carolina with a High Flammability Rating

		М	Soil oistu	ire		Light			Nativ Regio		Wildlife Value						
Latin Name	Common Name	Wet	Moist	Dry	Full Sun	Partial Shade	Shade	Mountains	Piedmont	Coastal plain	Winter cover	Fleshy fruit	Seed, mast, or catkin	Hummingbird nectar	Butterfly/insect nectar	Butterfly larvae host	
Tall Trees (taller than 30 fee	et)																
Chamaecyparis thyoides	Atlantic whitecedar	•	•		•	•				•	•					•	
llex opaca	American holly		•	•	•	•	•	•	•	•	•	•			•	•	
Juniperus virginiana	Eastern redcedar		•	•	•	•		•	•	•	•	•				•	
Pinus echinata	Shortleaf pine		•	•	•	•		•	•	•	•		•			•	
Pinus palustris	Longleaf pine		•	•	•				•	•	•		•				
Pinus strobus	Eastern white pine		•	•	•			•	•		•		•				
Pinus taeda	Loblolly pine		•	•	•			•	•	•	•		•			•	
Quercus virginiana	Live oak		•	•	•					•	•		•			•	
Tsuga canadensis	Eastern hemlock		•			•	•	•	•		•		•				
Small Trees and Shrubs (10	to 30 feet tall)																
Ilex vomitoria	Yaupon		•	•	•	•				•	•	•			•	•	
Morella cerifera	Wax myrtle		•	•	•	•			•	•	•	•				•	
Small Shrubs (less than 10	feet tall)																
llex glabra	Inkberry		•		•	•			•	•	•	•			•	•	
Kalmia carolina	Carolina laurel		•	•	•	•	•			•	•			•	•		
Kalmia latifolia	Mountain laurel		•	•	•	•	•	•	•		•			•	•		
Leucothoe axillaris	Doghobble	•	•		•	•		•	•	•	•				•		
Rhododendron catawbiense	Catawba rhododendron		•			•	•	•	•		•			•	•		

Table 4. Plant Species Native to North Carolina with an *Extreme* **Flammability Rating** (These species should *not* be planted inside the zone of survivable space.)

		М	Soil oistu			Ligh Need			Nativo Regio	-	Wildlife Value							
Latin Name	Common Name	Wet	Moist	Dry	Full Sun	Partial Shade	Shade	Mountains	Piedmont	Coastal plain	Winter cover	Fleshy fruit	Seed, mast, or catkin	Hummingbird nectar	Butterfly/insect nectar	Butterfly larvae host		
Vines																		
Ampelopsis arborea	Peppervine	•	•		•	•				•		•						
Aristolochia macrophylla	Dutchman's pipe		•	•		•	•	•								•		
Berchemia scandens	Rattanvine, supplejack	•	•		•	•			•	•		•						
Bignonia capreolata	Crossvine		•	•	•	•			•	•				•				
Campsis radicans	Trumpet vine		•	•	•	•		•	•	•				•				
Decumaria barbara	Climbing hydrangea		•		•	•	•			•					•			
Gelsemium sempervirens	Carolina jasmine		•		•	•			•	•	•			•	•			
Lonicera sempervirens	Coral honeysuckle		•		•	•			•	•				•				
Parthenocissus quinquefolia	Virginia creeper		•	•	•	•	•	•	•	•		•						
Passiflora incarnata	Passionflower		•	•	•	•		•	•	•				•	•	•		
Smilax spp.	Greenbrier	•	•	•	•	•		•	•	•	•	•						
Vicia caroliniana	Wood vetch			•	•	•		•	•	•			•			•		
Vitis spp.	Grape	•	•	•	•	•		•	•	•		•						
Grasses																		
Andropogon glomeratus	Bushy bluestem		•		•				•	•	•		•			•		
Andropogon temarius	Splitbeard bluestem		•	•	•			•	•	•	•		•			•		
Aristida stricta	Wiregrass		•	•	•	•			•	•	•		•					
Arundinaria gigantea	Switchcane	•	•	•	•	•	•	•	•	•	•		•			•		
Panicum virgatum	Switchgrass	•	•		•	•		•	•	•	•		•			•		
Sorghastrum nutans	Indiangrass		•	•	•			•	•	•	•		•					

Additional Resources

- Bardon, R., and R. Carter. 2003. *Minimizing Wildfire Risk A Forest Landowner's Guide*. North Carolina Cooperative Extension, Publication no. AG-616. North Carolina State University, Raleigh, N.C. Online: http://www.ces.ncsu.edu/forestry/pdf/ag/ag-616.pdf
- Behm, A. L., A. J. Long, M. C. Monroe, C. K. Randall, W. C. Zipperer, and L. A. Hermansen-Baez. 2004. *Fire in the Wildland-Urban Interface: Preparing a Firewise Plant List for WUI Residents*. Florida Cooperative Extension. University of Florida, Gainesville, Fla.
- Miller, J. H., and K. V. Miller. 1999. *Forest Plants of the Southeast and Their Wildlife Uses*. Craftmasters Printing Inc. Auburn, Ala.
- Moorman, C., M. Johns, and L. T. Bowen. 2003. *Landscaping for Wildlife with Native Plants*. North Carolina Cooperative Extension, Publication no. AG-636-03. North Carolina State University, Raleigh, N.C. Online: http://www.ces.ncsu.edu/forestry/pdf/ag/ag636 03.pdf
- National Wildland/Urban Interface Fire Program. Firewise Web site: http://www.firewise.org/.
- National Wildland/Urban Interface Fire Program. 2003. *Firewise Communities: Where We Live, How We Live.* Firewise Communities Program. Quincy, Mass.
- North Carolina Division of Forest Resources. Firewise in North Carolina. Web site: http://www.ncfirewise.org/.
- U.S. Department of Agriculture, Natural Resources Conservation Service. 2004. The PLANTS Database, Version 3.5 (http://plants.usda.gov). National Plant Data Center, Baton Rouge, La.









18,000 copies of this public document were printed at a cost of \$8,378.90 or \$0.46 per copy.

Funding for this project was provided by the National Fire Plan through the U.S. Department of the Interior Fish and Wildlife Service.

Prepared by

Robert E. Bardon, Forestry Extension Specialist, North Carolina State University Kelley Van Druten, Wildland-Urban Interface Specialist, U.S. Department of the Interior Fish and Wildlife Service

7/05-18M-BS-DB E05-44596